

PIEZOSURGERY INC.
a mectron company

PIEZOSURGERY[®] MEDICAL



PIEZOSURGERY®

→ A REVOLUTION IN BONE SURGERY

A multitude of clinical benefits and advantages, to experience during and after surgery:

→ INTRAOPERATIVE ADVANTAGES


- **Selective Cut** Maximum safety for surgeons and patients.
Reduced risk of damaging soft tissues
(dura, nerves and vessels).
- **Micrometric Cut** Maximum surgical precision and intra-operative
tactile sensation.
Minimal bone loss due to the reduced cutting width.
- **Cavitation Effect** Maximum intra-operative visibility.
Blood-free surgical site.

→ POSTOPERATIVE BENEFITS


- **Healing** Better and faster bone healing.
- **Edema** Reduction of postoperative swelling
and discomfort.

→ CLINICAL EVIDENCE


- "Piezosurgery is a safe tool for selective bone cutting for opening of the internal auditory canal with preservation of facial nerve and hearing function in acoustic neuroma surgery."
Acta Neurochir (Wien). 2011 Oct; 153(10):1941-7; discussion 1947. Epub 2011 Jun 27.
- "Piezoelectric device allows surgeons to achieve better results compared to a traditional surgical saw, especially in terms of intraoperative blood loss, postoperative swelling and nerve impairment. This device represents a less aggressive and safer method to perform invasive surgical procedures such as a Le Fort I osteotomy." *J Craniomaxillofac Surg*. 2014 Mar 20. pii: S1010-5182(14)00080-8. doi:10.1016/j.jcms.2014.02.011.
- "Piezoelectric surgery reduces the impact on soft tissues (vessels and nerves) which lie adjacent to the area of treatment. Compared to traditional methods it enables optimal healing because it reduces the postsurgical swelling and discomfort." *Minerva Stomatol*. 2012 May; 61(5):213-24.



MACRO-VIBRATIONS




Bone bur



Bone saw

MICRO-VIBRATIONS



PIEZOSURGERY®

Perfect integrity of the osteomized surfaces with a cut which is clean, regular and without imperfections or pigmentation. The bone surface which was cut using the piezoelectric device showed no sign of lesions to the mineralized tissues and presented live osteocytes with no sign of cellular suering.

Mediterranea Journal of Surg Med
2001; 9:89-95.


- Limited surgical control
- Lack of precision

- High surgical control
- Precision and safety
- Clinical and histological advantages


SCIENTIFIC STUDIES

Osteotomy tissue sections, Gomori trichrome stain. Histomorphometric analysis performed 15 days after osteotomy with bone bur (Bb), Piezosurgery® medical device (Pm) and the new Piezosurgery® plus device (Pp) shows that the thickness (red dotted line) of the osteotomy (between the 2 blue dotted lines) is significantly higher in Bb with respect to Pm and Pp.


BV/TV % values. The area of newly deposited bone (BV) with respect to the total area (TV) of the osteotomy (expressed as %) is higher with Pm and Pp than with Bb, this difference is not statistically significant.



Bone bur



PIEZOSURGERY® medical



PIEZOSURGERY® plus

PIEZOSURGERY® *plus*

→ THE WIDEST RANGE

Maximum efficiency, maximum control, maximum performance, and maximum versatility: PIEZOSURGERY® *plus* is one device to meet a wide range of surgical applications, from reconstructive to thoracic, from maxillofacial to neurosurgery.

Thanks to innovative features like its two different channels with different handpieces, it provides you with optimal results in most every surgical field.



→ HANDPIECE FOR STANDARD CHANNEL (1)

- Superior intra-operative control and surgical sensitivity
- Maximum flexibility in creating osteotomy lines



→ HANDPIECE FOR PLUS CHANNEL (2)

- Maximum performance with highly mineralized bone
- Maximum efficiency through the entire cutting depth





→ HOW PIEZOSURGERY® plus LETS YOU FOCUS 100% ON SURGERY

→ STEP 1: select the channel desired.

→ STEP 2: choose the insert.

→ STEP 3: confirm the settings by pressing OK.

→ STEP 4: start surgery.



→ APC ON BOARD

→ MAXIMUM SAFETY

PIEZOSURGERY® plus is provided with APC(Automatic Precision Control) software, which guarantees maximum safety. The software automatically recognizes deviations from normal functioning and stops the device in less than 150 ms. The error message on the screen allows for easy restoration of operating conditions. Two independent handpieces are provided, allowing for greater flexibility and performance during surgery.

→ TOUCH SCREEN

All functions can be managed by the touch screen. Choosing the handpiece, selecting the surgical type, switching from one handpiece to the other is just a touch on the screen.

→ SMART SOFTWARE


PIEZOSURGERY® plus is provided with smart software. For each surgical tip, the software automatically sets the optimal working settings. Power and irrigation levels can also be adjusted manually depending on the surgical needs.

SURGICAL INSERTS

→ EXPERIENCE QUALITY

During surgery, an ultrasonic insert oscillates up to 36.000 times per second.

We use only medical grade stainless steel in the production of mectron inserts and every single ultrasonic insert must pass 12 working parameters before it is approved to market.



→ THERMAL TREATMENTS

Confer raw surgical tips the necessary hardness, corrosion resistance and elastic response to vibration.

→ SHARPENING AND SURFACE COATING

A proprietary CNC 5-dimensions sharpening machine cuts with an accuracy of up to 0.1 μm . Depending on the surgical indication, specific surface treatments are made, which include diamond coating with diamonds of different granulometries.

→ MARKING

Each surgical insert is laser marked. The code is engraved on the shaft of the surgical tips for superior safety.


→ QUALITY CONTROL

Surgical inserts are individually checked throughout the manufacturing process. Checks range from dimensional control of the rough insert to visual inspection of final package.

SURGICAL INSERTS

→ MAXIMUM VARIETY

Osteotomy, Osteoplasty, Drilling, Finishing – PIEZOSURGERY® *medical* inserts cover a vast variety of surgical needs. And whatever your choice is, there is one thing they all have in common: they offer the best performance you will find in the market.



→ INSERTS DEVELOPMENT

- 1. research and collaboration with renowned surgeons
- 2. use of a dedicated software simulating the final product to develop the insert's movement with the greatest precision
- 3. thorough clinical tests to validate prototypes

→ OSTEOTOMY

Surgical inserts of different shapes and dimensions, short and long, curved and angled, designed to perform osteotomies with the utmost safety even in difficult to reach surgical sites.


- Saw thickness from 0.35 to 0.6 mm
- Osteotomy depth up to 20 mm
- Shank length up to 10 cm



→ OSTEOPLASTY

Surgical inserts short and long, curved and angled, with sharp edges, for bone modeling and bone chip harvesting.

- Shank length up to 10 cm



→ DRILLING

Surgical inserts to drill holes with very tight tolerance, minimizing the risk of bone necrosis.

- Head diameters from 0.8 to 1.8 mm



→ FINISHING

Surgical inserts of different shapes and dimensions, curved and angled, with heads of different shapes and with different diamond coatings, to finish the osteotomies in very delicate anatomies.



SURGICAL CHOICES.

PIEZOSURGERY® HAS DEDICATED INSERTS FOR A WIDE VARIETY OF CLINICAL APPLICATIONS.

Our technology is designed to empower surgeons to perform more and better surgeries. PIEZOSURGERY® has over 30 inserts specifically designed for use in many applications in clinical surgery and procedures.

OSTEOTOMY

MT1-10

Osteotomy microsaw
Operative length: 10 mm
Saw width: 4 mm
Saw thickness: 0.55 mm
Item# 3600001



MT1S-10

Osteotomy microsaw
Operative length: 10 mm
Saw width: 3 mm
Saw thickness: 0.35 mm
Item# 3600007



MT1-20

Osteotomy microsaw
Operative length: 20 mm
Saw width: 4 mm
Saw thickness: 0.6 mm
Item# 3600002



MT2L-4

Left angled microsaw
Operative length: 4 mm
Saw width: 4 mm
Saw thickness: 0.6 mm
Item# 3600004



MT2R-4

Right angled microsaw
Operative length: 4 mm
Saw width: 4 mm
Saw thickness: 0.6 mm
Item# 3600003



MT3-8

Osteotomy flat scalpel
Operative length: 8 mm
Scalpel width: 1.4 > 2 mm
Scalpel thickness: 0.5 mm
Item# 3600005



MT3-20

Osteotomy flat scalpel
Operative length: 20 mm
Scalpel length: 10 mm
Scalpel width: 1.8 > 2.4 mm
Scalpel thickness: 0.6 mm
Item# 3600006



MT6S-10

Osteotomy microsaw
Operative length: 10 mm
Saw width: 4 mm
Saw thickness: 0.35 mm
Item# 3600011



MT7-3

Osteotomy microsaw
Shaft length: 33 mm
Operative length: 3 mm
Saw width: 3.5 mm
Saw thickness: 0.8 mm
Item# 36200012



MT9-13

Osteotomy microsaw
Shaft length: 45 mm
Operative length: 3 mm
Saw width: 3.3 > 4.4 mm
Saw thickness: 0.35 mm
Item# 3600016




UNIVR

Round shape osteotomy microsaw
Shaft length: 30 mm
Operative length: 5 mm
Saw width: 4.5 mm
Saw thickness: 0.5 mm
Item# 3600008



MT4-10 +

Osteotomy microsaw
Operative length: 10 mm
Saw width: 4 mm
Saw thickness: 0.55 mm
Item# 3600010



MT4-20 +

Osteotomy microsaw
Operative length: 20 mm
Saw width: 4 mm
Saw thickness: 0.55 mm
Item# 3600014




MT5-10 L

Long osteotomy microsaw
Operative length: 10 mm
Saw width: 3 mm
Saw thickness: 0.55 mm
Shaft length: 106 mm
Item# 3600009



MT10-20+

Osteotomy microsaw
Operative length: 20 mm
Saw width: 4 mm
Saw thickness: 0.5 mm
Item# 3600015



OSTEOPLASTY

MT8-20 L

**Long osteotomy
microsaw**
Operative
length: 20 mm
Saw width: 4 mm
Saw thickness:
0.45 mm
Shaft length: 117 mm
Item# 3600013



MP-1

**Osteoplasty
trapezoidal**
Width at the top:
3 mm
Width at the
bottom: 4 mm
Thickness: 0.8 mm
Item# 3610001



MP-2

**Osteoplasty
circular**
Shank length:
15 mm
Ø 4 mm
Thickness:
0.8 mm
Item# 3610002



MP3-A30

**Osteoplasty circular
scalpel**
Shank length: 22 mm
Ø 2.4 mm
Scalpel angle: 30°
Item# 3610003



MP4 +

**Osteoplasty
circular**
Shaft length:
10 mm
Ø 4 mm
Edge thickness:
0.33 mm
Item# 3610007



MP5 L

**Long osteoplasty
circular**
Insert shaft
length: 10 mm
Ø 4 mm
Edge thickness:
0.33 mm
Shaft length: 98 mm
Item# 3610008



DRILLING

MP6 L

**Long osteoplasty
trapezoidal**
Insert shaft
length: 6 mm
Edge thickness: 0.28 mm
Scalpel angle: 45°
Shaft length: 112 mm
Item# 3610009



MD2-08

Ø 0.8 mm
**Micro-perforation
sharp cylinder insert,**
Operative length:
12 mm
Item# 3620010



MD2-10

Ø 1.0 mm
**Micro-perforation
sharp cylinder insert,**
Operative length:
12 mm
Item# 3620004



MD3-12

Ø 1.2 mm
**Micro-perforation
sharp cylinder insert,**
Operative length:
12 mm
Item# 3620005



MD3-14

Ø 1.4 mm
**Micro-perforation
sharp cylinder insert,**
Operative length:
12 mm
Item# 3620006



MD3-16

Ø 1.6 mm
**Micro-perforation
sharp cylinder insert,**
Operative length:
12 mm
Item# 3620007



MD3-18

Ø 1.8 mm
**Micro-perforation
sharp cylinder insert,**
Operative length:
12 mm
Item# 3620008



FINISHING

MF1

**Diamond flap
scalpel**
Length: 4 mm
Width: 2.9 mm
Thickness: 1 mm
Item# 3630001



MF2

**Diamond cylinder
insert**
Operative
length: 12 mm
Ø 2.4 mm
Item# 3630002




MF3

Diamond ball insert
Operative
length: 9 mm
Ø 1.7 mm
Item# 3630003



MF4

Diamond conic insert
Operative
length: 10 mm
Ø 1.4 > 0.6 mm
Item# 3630004



MF5

**Diamond truncated
cone insert**
Operative
length: 20 mm
Ø 2.8 > 2.2 mm
Item# 3630005



MF6


**Blunt cone
compressor**
Operative
length: 15 mm
Ø 5 mm
Item# 3630006



MECTRON EXPERIENCE


Since its introduction 15 years ago, PIEZOSURGERY® has proven its efficiency again and again – scientifically and clinically validated by countless publications.

Visit www.mectron.com. On our homepage you will not only find all literature references and further information on our devices, but also a complete list of congresses and courses we take part in.



PRODUCTS

The Products section offers further information and technical details on Mectron's PIEZOSURGERY® equipment and surgical inserts provided.



VIDEO


Clinical videos by the most renowned surgeons in all fields (maxillofacial surgery, micro-surgery, hand and foot surgery) are available on our website.

EVENTS

The Events section lists all courses and workshops where you can discover and experience Mectron's PIEZOSURGERY® technology. Information is available on courses and seminars as well as congresses featuring Mectron's own exhibition stand.

PIEZOSURGERY® – SCIENTIFICALLY AND CLINICALLY VALIDATED

BONE HEALING



The minimal postoperative pain appears remarkable; in the same direction, the first impression about the rapidity of recovery appears noteworthy: it results in a reduced necessity of postoperative medications, due to a lesser production of granulation tissue and, consequently, to the possibility to better foresee the stabilized result with important anatomical and functional implications.

Pirodda A., Raimondi M.C., Ferri G.G.
Piezosurgery in otology: a promising device but not always the treatment of choice.
Eur Arch Otorhinolaryngol. 2012 Mar; 269(3):1059. doi: 10.1007/s00405-011-1841-2. Epub 2011 Nov 22.

SAFETY



Piezosurgery proved to be a useful and safe technique for selective bone cutting and removal of osteophytes with preservation of neuronal and soft tissue in ACDF. In particular, the angled inserts were effective in cutting bone spurs behind the adjacent vertebra which cannot be reached with conventional rotating burs.

Grauvogel J., Scheiwe C., Kaminsky J.
Use of Piezosurgery for removal of retrovertebral body osteophytes in anterior cervical discectomy. Spine J. 2014 Apr;14(4):628-36. doi: 10.1016/j.spinee.2013.06.085. Epub 2013 Dec 4.

BENEFITS



PS allows easy, safe and precise bone cutting with no injury to neurovascular tissue, such as dura, transverse or sigmoid sinus, brain, and cranial nerves. No complications were noted during the procedure. Due to the absence of rotating power near neurovascular structures the drilling process was easy and comfortable for the surgeon.

Grauvogel J., Grauvogel T.D., Kaminsky J.
Piezosurgical lateral suboccipital craniectomy and opening of the internal auditory canal in the rat. J Neurosurg Sci. 2014 Mar;58(1):17-22.

PRECISION



Piezosurgery seems suitable to perform precise thin osteotomies while limiting damage to the bone itself and to the underlying delicate structures even in the case of unintentional contact. These advantages make the piezoelectric bonescalpel a particularly attractive instrument in neurosurgery.


Iacoangeli M., Rienzo A.D., Nocchi N., Balercia P., Lupi E., Regnicolo L., Somma L.G., Alvaro L., Scerrati M.
Piezosurgery as a Further Technical Adjunct in Minimally Invasive Supraorbital Keyhole Approach and Lateral Orbitotomy. J Neurol Surg A Cent Eur Neurosurg. 2015 Mar;76(2):112-8.

EASE



Piezoelectric osteotomy reduced surgical time, blood loss, and inferior alveolar nerve injury in bimaxillary osteotomy. Absence of macro-vibrations makes the instrument more manageable and easy to use and allows greater intraoperative control with higher safety in cutting in difficult anatomical regions.

Bertossi D., Lucchese A., Albanese M., Turra M., Faccioni F., Nocini P., Rodriguez Y Baena R.
Piezosurgery versus conventional osteotomy in orthognathic surgery: a paradigm shift in treatment. J Craniofac Surg. 2013 Sep;24(5):1763-6. doi: 10.1097/SCS.0b013e31828f1aa8.



→ PRODUCTS



→ ACCESSORIES

→ PS *plus* 05170003

HANDPIECE FOR PLUS CHANNEL	03120219	●
TORQUE WRENCH FOR PLUS CHANNEL	02900116	●
TORQUE WRENCH FOR EXTENSION OF LONG INSERTS*	02900115	●
HANDPIECE FOR STANDARD CHANNEL	03120127	●
TORQUE WRENCH FOR STANDARD CHANNEL	02900080	●
IRRIGATION KIT SINGLE USE (BOX OF 10 UNITS)	03230008	●
TROLLEY-CASE	04440018	●
CART	03540009	●

→ CONTAINERS FOR STERILIZATION OF HANDPIECE AND TORQUE WRENCH

CONTAINER FOR STERILIZATION	02080016	●
COVER OF THE STERILIZATION CONTAINER	02080017	●
PAPER FILTER FOR CONTAINER (BOX OF 100 UNITS)	00420008	●
TRAY FOR STERILIZATION	04610005	●
COVER OF THE TRAY	02080015	●
THERMODISINFECTION ADAPTOR FOR HANDPIECE	04610008	●
FILTER FOR THERMODISINFECTION ADAPTOR	04590006	●

→ SPARE PARTS

POWER-SUPPLY CABLE	00050020	●
FOOTSWITCH FOR PS <i>plus</i>	04620004	●
FOOTSWITCH FOR PS <i>flex</i>	04620003	●
PERISTALTIC PUMP	03210006	●
DRIP STANDS FOR SALINE BAG	01380002	●
PROTECTION FOR HANDPIECE'S CONNECTOR	03150086	●

→ PS *plus* 05170003

→ SURGICAL INSERTS

OSTEOTOMY

MT1-10 03600001

MT1S-10 03600007

MT1-20 03600002

MT2R-4 03600003

MT2L-4 03600004

MT3-8 03600005

MT3-20 03600006

UNIVR 03600008

MT6S-10 03600011

MT7-3 03600012

MT4-10 + 03600010

MT5-10 L 03600009

MT8-20 L 03600013

OSTEOPLASTY

MP1 03610001

MP2 03610002

MP3-a30 03610003

MP4 + 03610007

MP5 L 03610008

MP6 L 03610009

DRILLING

MD2-08 03620010

MD2-10 03620004

MD3-12 03620005

MD3-14 03620006

MD3-16 03620007

MD3-18 03620008

FINISHING

MF1 03630001

MF2 03630002

MF3 03630003

MF4 03630004

MF5 03630005

MF6 03630006

STD HANDPIECE
03120127

PLUS HANDPIECE
03120219



→ PRODUCTS



PLUS CONSOLE



MEDICAL PLUS HANDPIECE



MEDICAL PLUS HANDPIECE EXTENSION
(Comes with the purchase of MT5 -10 L, MP5 L, M6 L inserts)



PLUS TORQUE WRENCH



L TORQUE WRENCH



PLUS FOOT PEDAL



DEVICE

PLUS CONSOLE (Includes: Plus Foot Pedal, Hanger Bar, Power Cord, Peristaltic Pump, Carrying Case)	05170003
---	-----------------

MEDICAL PLUS ACCESSORIES

MEDICAL PLUS HANDPIECE	3120219
PLUS FOOT PEDAL	4620004
L TORQUE WRENCH	2900115
PLUS TORQUE WRENCH	2900116

MEDICAL ACCESSORIES

MEDICAL HANDPIECE	3120127
PLUS FOOT PEDAL	4620003
TORQUE WRENCH	2900080
HANGER BAR	1380002
HANDPIECE CONNECTOR CAP (Pack of 5)	3150086Bx
HANDPIECE CONNECTOR CAP (Single)	3150086
HANDPIECE NOSE CONE	3620099
POWER-SUPPLY CABLE	50026
PERISTALTIC PUMP	3210006
IRRIGATION KIT SINGLE USE (Box of 10)	3230008Bx
IRRIGATION KIT SINGLE USE (Pack of 5)	3230008Pk
IRRIGATION KIT SINGLE USE (Single)	3230008
CART	3540009
TROLLEY-CASE	4440018

PIEZOSURGERY INCORPORATED
a mectron company

is manufactured by:
mectron s.p.a.
Via Loreto 15/A
16042 Carasco (GE)
Italy

Imported and distributed in
the United States and Canada
exclusively by:

PIEZOSURGERY INCORPORATED
a mectron company

850 Michigan Avenue, suite 200
Columbus, OH 43215 USA

1.888.877.4396
info@piezosurgery.us
www.piezosurgery.us

→ www.piezosurgery.us or info@piezosurgery.us

© Copyright Piezosurgery® a mectron company
All rights reserved. Texts, pictures and graphics of this brochure are protected by copyright and other
protection laws. The contents of this brochure may not be copied, distributed, changed or made
available to third parties for commercial purposes without written consent of the copyright holders.