# Best available technology... demonstrated!



### For Aseptic Biopharmaceutical Processing

 $\boldsymbol{O}$ BAKER SterilGARD Ideal for gene & cell therapy, and late stage clinical applications SterilGARD<sup>®</sup> e3 **BioPharma Package** 

## SterilGARD® e3

### NSF Class II Type A2 Biosafety Cabinets

Work towards GMP/GLP with Baker, by selecting standard and optional extras on SterilGARD<sup>®</sup> e3

#### **Standard Features**

- (–)Pressure double wall plenum
- Internal GFCI duplex outlet
- Fault alam
- Momentum air curtain
- High-velocity return air slots
- Removable work surface
- ReadySafe<sup>™</sup> low-flow operating mode
- StediFlow<sup>™</sup> VFD motor controller
- UniPressure™ preflow plenum

#### **GMP Features**

- All stainless steel (SS) construction
- SS cable port(s) & sleeves
- Isokinetic sampling probe
- Cabinet set point monitor w/ BAS connectivity
- SS air bypass
- SS channel stand
- Minimal irregular surfaces

#### **Available Sizes**

Nominal: 3', 4', 5', 6'

Complies with NSF International Standard 49.

Baker is a component provider and is not responsible for GMP compliance.

# Create an ISO Class 5 / Grade A Aseptic Processing Environment\*

#### CABINET SET POINT MONITOR WITH BAS CONNECTIVITY

Airflow monitoring with audible & visual alarms when out of specification

#### MINIMIZE/ELIMINATE PRE-PLUMBED SERVICES, RECEPTACLES & UV LIGHT

Reduce the number of irregular surfaces that are difficult to clean

#### STAINLESS STEEL CHANNEL STAND

Increased chemical resistance & cleanability

#### STAINLESS STEEL AIR BYPASS

Sight-tight air bypass for closed sash operation

\*per ISO 14644

### ALL STAINLESS STEEL CONSTRUCTION

Increased cleanability and resistance to corrosion

#### ISOKINETIC SAMPLING PROBE

Provides continuous non-viable particle counting mandated for aseptic manufacturing

#### STAINLESS STEEL CABLE PORT(S) & SLEEVES

To facilitate tubing for viable particle counting

Talk to us about the features presented and how they can help you work towards GMP/GLP

www.bakerco.com 🛛 🖬 🎔 💿 in 🖻

## Need an ISO Class 5 / Grade A Aseptic Processing Environment?

## Talk to Baker Today!

Contact information/notes:





Check out Baker's Total Cost of Ownership Calculator for Class II Type A2 Biosafety Cabinets. www.bakerco.com/calculator



www.bakerco.com