B3K Product Guide

01 - Kaiser Professional, Industrial and Cultural Heritage Copy Stands and Accessories





For R2, R1, Copylizer and specialty manual copy stand products see: B3K Product Guide 02 - Kaiser manual copy stands and accessories.



Look for the "Made In Germany" logo





Pro solutions for generations of use

Do it right. Do it once



KA-571107 - RSP Xtra With a height of 227 cm / 89.4 in. the RSP Xtra is ideal for KA-5631 Book Cradle, large objects and roll-up tables. KA-5709 wall mount version also available

For assistance selecting the right copy stand, or questions, contact the expert team at B3K Digital.



Pro Copy. Stand Considerations

The Kaiser Pro wall mount, tall free standing or table based copy stands can handle a wide variety of materials. Critical consideration of existing and future project requirements can be essential to choosing the right components.

Accessibility

- Motorized baseboard with RSP 2motion is ideal for multi height accessibility requirements
 - Column stop allows camera head to be positioned for ideal distance from baseboard

Motor Control and precision

- Precise Column markings for repeatable results
- Motor Control or manual operation

Object requirements

- Is copy board size enough for object size
- Will lighting cover object size
- Is column length tall enough for selected optics

Ergonomics

- · Table top or free standing solutions
- Is work surface adjustment required for accessibility



Pro solutions for generations of use

RSP rePRO - The best of German engineering









Pro multi-function modular copy system

RSP rePRO defines professional grade with exceptional build quality and operating precision.

Worm Gear column design

The core of the the RSP rePRO is the worm gear column design. The worm gear drive is virtually maintenance free providing precise, repeatable results over decades of operation.

Dual speed camera control

Quick movement of the Camera position is combine with a much slower and more precise speed for ideal set-up operation.

Advanced Dual arm camera head

Controlling the position of the camera is essential for a wide range of objects. The RSP rePRO head uses dual arms and can be operated with left or right hand.

Kaiser built Canadian power supply CSA* / ESA** Compliant

Kaiser takes safety very seriously. To comply to enhanced Canadian CSA electrical safety standards and workplace safety requirements, Kaiser designed and now builds power supplies specific to Canada for the RSP rePRO / RD products. Each power supply is marked with an orange ESA safety compliance tag.

*CSA - Canadian Standards Association

**ESA - Electrical Safety Authority



Kaiser rePRO RSP 2-Motion

Copy stand with motorized camera head and base board







KA-5710 Kaiser RSP 2motion

Includes: Column, Foot, Camera carrier, Base board, Made for Canada power supply* and wired remote

Height: 227 cm / 89.4 in.

Column: Multi-section aluminum, matt black anodized, cm and inch scales, self limiting motorized worm gear height adjustment for accurate repeatable results, automatic magnetic end switches and anticollision device for table and camera, max working span of 160cm / 63 in.

Column Remote: Dual speed control for baseboard and camera head

Camera Carrier: Dual lockable parallel guides, right and left handed operation, camera mount plate tiltable, spirit level

Base board: 4mm Aluminum, 100 x 80 cm / 42 x 31 in.

Column Foot: Double strutted steel tube with die-cast column mount, height adjustable feet

Accessibility: Ideal where variable base board heights are required for

accessibility

KA-5708 - Kaiser RSP 2motion without foot

Same as KA-5710 but with no base foot. Ideal for wall mounting. Use KA-5614 Wall Mount.

Includes: Column, Camera carrier, Base board, Made for Canada power supply* and wired remote

*Made for Canada power supply meeting CSA - Canadian Standards Association requirements for workplace safety



KA-5715 **Sheet Steel plate**

For RSP 2motion base board. Use with magnetic holders **KA-5717**, 1290 x 890 mm / 50.8 x 35 in.



KA-5517 - Magnetic holders

For KA-5715 Sheet Steel plate, use with RSP 2motion



KA-5614 rePRO Wall mount

For mounting KA-5708, KA-5709 or KA-5612 columns to a wall. Lower mount includes spirit level and power supply shelf. Upper mount is adjustable for vertical level. Holds column 35 cm /13.8 in from wall surface



Kaiser rePRO, RSP Xtra, RSP rePRO

Professional copy stands



KA-5612

Made _

in Germany


KA-5711 Kaiser RSP Xtra

Same as **KA-5710** except with no base board

Includes: Column, Foot, Camera carrier, Made for Canada power supply* and wired remote

Ideal for: KA-5631 book press, KA-5530 Table frame, **KA-5712** Copy table or any appropriate roll-up table





Includes: Column, Foot, Camera carrier, Made for Canada power supply* and wired remote



Includes: Column, Camera carrier, Made for Canada power supply* and

wired remote

Height: 1.5 m / 4.9 ft.

Maximum Load: 15 kg / 33 lbs. End Switch: automatic by magnetic

sensor system

Requires: KA-5615 rePRO Table Frame or KA-5614 rePro Wall Mount





KA-5615 - rePRO Table Frame

For **KA-5612** repro Column, levelling feet, can be disassembled





KA-5616 - Base Board

Base board for **KA-5615** rePRO table Frame



*Made for Canada power supply meeting CSA - Canadian Standards Association requirements for workplace safety



Kaiser rePRO

Book Cradle, tables and wall mount



KA-5631 - Book Cradle 45/30

For books up to $60 \times 45 \text{ cm} / 23.6 \times 17.7 \text{ in.}$, And thickness of up to 15 cm / 5.9 in.

Pressure Plate: 6mm thick floating glass design with antireflection coating on both sides, locates/locks automatically in open position

Dual Platforms: 30 x 45 cm /
11.8 x 17.7 in. Each, foam padding, adjustable space for spines, automatic pressure control, platform height adjustable, Pressure quick release system for rapid change of pages, Engaging pressure system automatically uses previous pressure settings

Support: fold out support bracket to hold over-sized books

Dimensions (WxHxD): 86 x 55.5 cm / 33.9 x 21.9 x 25.6 in.

Weight: Approx. 57 kg / 126 lbs Accessories: KA-5530 table frame with wheels ideal for use with RSP Xtra as shown. KA-5712 copy work table provides an overall higher working position.





KA-5617 Trans Illuminator

Inserts into **KA-5615** Table Frame. $80 \times 60 \text{ cm} / 31.5 \times 23.6$ in., Illuminated area $48 \times 43 \text{ cm} / 18.9 \times 16.9$ in. Glass plate . Continuously dimmable, 5400 K, fan cooled, Luminance of 6700 cd/m^2



KA-4421 - rePRO adapter

Adapts R1 system camera arms to the rePRO system



For **KA-5711** RSP Xtra copy stand or wall mounted rePRO, RD or R1 columns. 92 x 68 cm / 36.2 x 26.8 in., Height of 49 cm / 19. in.



KA-5630 - Table frame

For **KA-5631** Book Cradle 45/30, 92 x 68 cm / 36.2 x 26.8 in., Height of 31 cm / 12.2 in. Also suitable for wall mounted column,




KA-5627 Close-up adapter

Bracket to reduce the minimum camera to base board distance. Mounts on the camera carrier



Kaiser D - Class, Compact Pro solutions



KA-5602 RSD 1.2 **Copy Stand**

1.2 m / 47.2 in., manual height adjustment Base Board: 68 x 57 cm / 26.8 x 22.4 in. Camera Arm:+- 90° tilt, blocking screws, Horizontal adjustment

KA-5603 RSDmot 1.2 KA-5600 RSDmot 1.8 **Copy Stand**

1.2 m / 47.2 in., column, motorized height adjustment Base Board: 68 x 57 cm / 26.8 x 22.4 in. Camera Arm:+- 90° tilt, blocking screws, Horizontal adjustment

Copy Stand

1.8 m / 70.9 in., column, motorized height adjustment Base Board: 90 x 73 cm / 35.4 x 28.7 in. Camera Arm:+- 90° tilt, blocking screws, Horizontal adjustment

KA-5622 RSD Column

1.2 m / 47.2 in. column, manual height adjustment

KA-5623 RSDmot Column

1.2 m / 47.2 in. column, motorized height adjustment

KA-5620 RSDmot Column

1.8 m / 70.9 in., column, motorized height adjustment



KA-5508 - RD Base Stand

For **KA-5602** and **KA-5603** RSD and R1 Copy stands. R1 columns. (WxHxD) 58 x 51 x 59.5cm / 22.8 x 20.1 x 23.4 in.




KA-5712 - Copy work table

With **KA-5625** Column mount, attach KA-5602 or KA-5603 column. 92 x 68 cm / 36.2 x 26.8 in., Height of 49 cm / 19. in.



KA-5625 Column base

For mount RD column on KA-5712 or KA-5630 table



B3K Digital, 163 Queen Street East, Suite 100, Toronto, Ontario, Canada, M5A 1S1 info@b3kdigital.com, b3kdigital.com, shop.b3kdigital.com

Kaiser rePRO, RD

Lighting and accessories







KA-5551 RB 550 AL LED

Includes: removable diffusors. Each light can be dimmed individually or together from 10% to 100% in 1% increments. Solid aluminum main housing Ideal for:All R1 Systems, RSD and RSD Mot copy

systems

Illuminated area: 41.5 x 16.5 cm / 16.3 x 6.5 in. per light

Angle of Coverage: 110°

LED Array: 2 x 192 SMD LED's

Colour Temp: Approx. 5600 K

Output Quality: CRI=95, flicker

free

Luminosity: 5600 lux without diffusor, 5000 lux with diffusor Mac Power of LED's:

2x 38.4 watts

Arms / clamps: Steel tube with square cross section, tilt, angle, height adjustable

KA-5660 - CopyOne Repro Kit

Includes: two CopyOne Flash and LED lamp heads with arms and copy stand mount clamps. Suitable for: RD and rePRO system copy stands

Lamp Head: Max flash power of 1200 w/s per Copy One head at 5400 K colour temperature. 126 SMD LED's per lamp head. Power supply*: Requires Hensel Nova D 2400 w/s power supply for maximum output to both CopyOne flash heads *Hensel Nova D power supply sold separately



KA-5671 - CopyOne single lamp head

Barn Doors sold separately

KA-5665 - Barn doors for CopyOne


Supplied as a set of 2 barn doors for one CopyOne light

KA-565601 - RB 5056 HF lighting

2 x 55 watt high frequency 5400K fluorescent lamps. Arms and diecast clamp bases for **KA-5615** rePRO Table. Lamps adjustable continuously in height and angle

KA-565701- RB 5056 HF lighting Dimmable

Same as KA-5656 with dimmer



KA-5592 - Filter holder

Guide rails for attaching filters to KA-5656, KA-5657 and KA-5671


KA-5593 - Diffusion Screen for KA-5592 filter holder

KA-5594 - Polarizers for KA-5592 filter holder





Kaiser Copy Stand Accessories







KA-5904 Kaiser Book Holder

- Basic holding device for open books of various heights
- · Non-slip base plate
- Folding glass pressure plate
- Pressure plate height up to 95 mm / 3.7 in.
- Eight preformed foam sheets for height compensation
- Base Plate size: 43 x 41 cm / 16.9 x 16.1 in.
- **Size WxHxD:** 47x13 x 45 cm, 18,5 x 5.1 x 17.7 in.

KA-5901 Kaiser Copy Plate

- For positioning and holding flat original objects
- Metal plate with non-slip base
- Matt 18% grey surface
- · Printed grid lines and scales
- · Four magnetic object holders
- Size of printed grid area:
 46 x 34 cm / 18.1 x 13.4
- Total Size: 50 x 38 cm / 19.7 x 15 in.
- **Height:** 10 mm / 0.4 in.
- Copy Plate can be wall mounted

KA-5903 Kaiser Document stage

- For documents up to 210 x 148 mm /8.3 x 5.8
- · Two adjustable stop rails
- Four variable position fixing claps, stainless steel
- Platform on ball head for tilt and swivel up to 90°
- Height adjustable up to 40 mm / 1.5 in.
- Platform, base spirit levels
- Four adjustable feet
- **Size:** 265 x 209 249 x 210 mm, 10.4 x 8.2-9.8 x 8.3 in.



Germany

FilmCopy Vario package KA-2457 no slimlite Plano KA-2458 with Slimlite Plano

Scan transparencies and negs. Stable holding device for exact positioning.

- 35mm neg or slide to 6x9*
- Optional glass or Anti-Newton glass plates
- Optional 24 x 66 pano-plate
- Overlay mat for stray light

KA-2457 package includes:

FilmCopy Vario holder 35mm mounted slide mask 24 x 36 mm mask set Overlay Mat

KA-2458 package includes:

All **KA-2457** items plus Slimlite Plano small





*See price page for 6x9 details

B3K Digital, 163 Queen Street East, Suite 100, Toronto, Ontario, Canada, M5A 1S1 info@b3kdigital.com, b3kdigital.com, shop.b3kdigital.com



Kaiser Fototechnik Canadian Importer B3K Digital www.b3kdigital.com info@b3kdigital.com 416-628-8044

See more Kaiser products on our web store

Shop.b3kdigital.com



